

Tumbler Mixer

TM-Series



Application:

Tumbler Mixer is designed for mixing Virgin + master batch for homogenizes mixing for better processing extruder for better performance of color.

Technical Specification

Model	Batch Size	Motor Power	Drum Material
PPM-25TM-S	25 kg	2HP	Stainless Steel
PPM-25TM-D	25+25kg	2HP	Stainless Steel
PPM-50TM-S	50 kg	3HP	Stainless Steel
PPM-50TM-D	50+50kg	3HP	Stainless Steel
PPM-100TM-S	100kg	5HP	Stainless Steel
PPM-100TM-D	100+100kg	5HP	Stainless Steel

PANCHAL PLASTIC MACHINERY PVT. LTD.

Plot # 127, G.I.D.C., Umbergaon - 396171,
Dist. Valsad, Gujarat, INDIA.

Tel.: ++91-260-2563391 / 2563392

Fax : ++91-260-2562892

E-mail : info@panchal-plastic.com

Website : www.panchal-plastic.com

High Speed Mixer

HM-Series



Application:

High Speed Mixer designed for Pre-heating of plastic granule before reclamation and recycling, LDPE, HDPE, PP, LLDPE, BOPP, HM, Polyester, Nylon, PVC etc.

Technical Specification

Model	Batch Capacity	Motor HP
PPM-10SS	10 kg	5 HP
PPM-25SS	25 kg	10 HP
PPM-50SS	50 kg	25 HP
PPM-100SS	100 kg	40 HP

PANCHAL PLASTIC MACHINERY PVT. LTD.

Plot # 127, G.I.D.C., Umbergaon - 396171,
Dist. Valsad, Gujarat, INDIA.

Tel.: ++91-260-2563391 / 2563392
Fax : ++91-260-2562892

E-mail : info@panchal-plastic.com
Website : www.panchal-plastic.com

Horizontal Mixer

HM-Series



Application:

Designed for Pre-heating of plastic granule before reclamation and recycling, LDPE, HDPE, PP, LLDPE, BOPP, HM, Polyester, Nylon, PVC etc.

Technical Specification

Model	Batch Capacity	Motor HP	RPM
PPM-100HM	100 kg	3 HP	60 RPM
PPM-200HM	200 kg	7.3 HP	60 RPM
PPM-300HM	300 kg	10 HP	60 RPM
PPM-500HM	500 kg	15 HP	60 RPM
PPM-1000HM	1000 kg	20 HP	60 RPM
PPM-1500HM	1500 kg	25 HP	60 RPM
PPM-2000HM	2000 kg	30 HP	60 RPM

PANCHAL PLASTIC MACHINERY PVT. LTD.

Plot # 127, G.I.D.C., Umbergaon - 396171,
Dist. Valsad, Gujarat, INDIA.

Tel.: ++91-260-2563391 / 2563392

Fax : ++91-260-2562892

E-mail : info@panchal-plastic.com

Website : www.panchal-plastic.com

Vertical Mixer

VM-Series



Application:

Designed for Pre-heating of plastic granule before reclamation and recycling, LDPE, HDPE, PP, LLDPE, BOPP, HM, Polyester, Nylon, PVC etc.

Technical Specification

Model	Batch Capacity	Motor HP
PPM-10VM	10 kg	2 HP
PPM-25VM	25 kg	3 HP
PPM-50VM	50 kg	5 HP
PPM-100VM	100 kg	5 HP
PPM-200VM	200 kg	10 HP

PANCHAL PLASTIC MACHINERY PVT. LTD.

Plot # 127, G.I.D.C., Umbergaon - 396171,
Dist. Valsad, Gujarat, INDIA.

Tel.: ++91-260-2563391 / 2563392
Fax : ++91-260-2562892

E-mail : info@panchal-plastic.com
Website : www.panchal-plastic.com